Dimension(mm) Wheelbase(mm) Seats Curb weight Max power(kw) Max torque(N.m) Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS Three phase charger	4410*1800*1660 2620 5 1690 142 340 150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Seats Curb weight Max power(kw) Max torque(N.m) Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	5 1690 142 340 150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Curb weight Max power(kw) Max torque(N.m) Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	1690 142 340 150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Max power(kw) Max torque(N.m) Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	142 340 150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Max torque(N.m) Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	340 150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Max speed(km/h) Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	150 ≥ 30% ≤ 4 145 NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Max gradability Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	≥ 30%
Accelerating time(0-50km/h)(s) Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	
Min ground clearance(mm) Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Battery type Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	NCA Permanent magnet Liquid cooling 65.7 ≥ 400
Motor Type Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	Permanent magnet Liquid cooling 65.7 ≥ 400
Type of cooling Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	Liquid cooling 65.7 ≥ 400
Battery total power capacity(kWh) WLTP Mileage(km) EU CCS	65.7 ≥ 400
WLTP Mileage(km) EU CCS	≥ 400
EU CCS	ACC. 1
1. The 18 miles	•
Three phase charger	
	•
(SOC 30%-80%)Fast charging(min)	≤ 45
(SOC 15%-100%)Slow(h)charging Three-phase electric	≤ 8
Dual color body	•
Panoramic sunroof	•
Rear trailer hitch	•
LED head lamps	•
· · · · · · · · · · · · · · · · · · ·	•
	•
	•
2=4 2012	•
	•
	•
folding of external rearview mirror(automatic folding with locking	•
	•
	•
	•
	•
A	•
Driver seat adjustment	Electric 4 directions and manual 2 directions
Co-driver seat adjustment	Manual 4 directions
STORY TOWN CONTROL TO CONTROL OF THE STORY O	
	•
	•
9491 -0.38277	520-1050
	(SOC 30%-80%)Fast charging(min) (SOC 15%-100%)Slow(h)charging Three-phase electric Dual color body Panoramic sunroof Rear trailer hitch LED head lamps Auto Lamps LED Daytime running lamps Remote control of opening windows Privacy glass External rearview mirror integrated LED turn signal electric adjustment + electric heating folding of external rearview mirror (automatic folding with locking car) ther multi-function steering wheel + up and down adjustment Heat pump air-conditioning Knob-type Lever shift(P) Driver's /Co-driver's side visor with makeup mirror Leather seats Driver seat adjustment

Chassis	Front brake	Ventilated disc				
	Rear brake	Disc				
	Electrical Park Brake	•				
	Tire size	225/45 R18				
	Wheel hub material	Aluminium alloy				
	Quick repair wizard + car tools	•				
	Over-speed alarm	•				
	ABS	•				
	EBD	•				
	ESC	•				
	TCS	•				
	ESS	•				
Active safety	AUTO HOLD	•				
	BA	•				
	TPMS	•				
	Parking sensor	•				
	360° Panoramic images	•				
	VSP	•				
	Seats belt alarm system	•				
	Airbags	6				
	Front/rear pretensioner of safety belts	•				
	Front belt height adjustable	•				
Descionation	3 point seatbelt for rear middle seat					
Passive safety	Child protection door lock	•				
	Speed sensitive auto-lock door					
	Auto unlock after collision + tail door escape switch	•				
	Automatic power off protection after collision(Front collision/Side collision/ Rear collision)	•				
	Remote key	•				
	PEPS	•				
Function	CCS(120KM/H)	•				
	10.25-inch LCD instrument panel	•				
	10.25-inch MP5	•				
	Bluetooth hands-free system	•				
	USB port	•				
	CarPlay、Android Auto	•				
	DAB radio	•				
Statement: The above of	: O: Optional Equipment -: Not Available mentioned specifications are subject to change without prior notice.					
Statement. The above t	Sactiments The above mentioned specifications are subject to change without prior notice.					



安徽江淮汽车集团股份有限公司
Anhui Jianghuai Automobile Group Corp., Ltd.

MOTORS Add:No.176 Dongliu Road,Hefei,China
http://www.jacen.jac.com.cn







BETTER DRIVE BETTER LIFE







e -JS4 Specification				
	Exterior dimensions(L $ imes$ W $ imes$ H)(mm)	4410×1800×1660		
	Wheelbase(mm)	2620		
	Seats	5		
	Curb weight(kg)	1690		
V	Max power (kw)	110		
Key parameter	Max torque(N.m)	340		
	Max speed(km/h)	150		
	Max gradability	30%		
:	Accelerating time(0-50km/h)(s)	4		
	Min ground clearance(mm)	145		
	Power battery	LFP		
	Motor Type	Permanent magnet synchronous		
	Type of cooling	Liquid		
Battery and charging system	Battery capacity(kWh)	55		
	Endurance Mileage(NEDC)(km)	402		
,	AC Charging time(SOC15%-100%)(h)	9.5		
:	DC Charging time(SOC30%-80%)(min)	45		
	Dual color body	•		
	Panoramic sunroof	•		
	LED head lamps	•		
Exterior	Auto Lamps	•		
	LED Daytime running lamps	•		
	Remote control of opening windows	•		
	External rearview mirror integrated LED turn signal	•		
	External rearview mirror electric adjustment + electric heating	•		
	Electric folding of external rearview mirror (automatic folding with locking car)	•		
	Leather multi-function steering wheel + up and down adjustment	•		
	Automatic constant temperature air conditioner	•		
	Knob-type Lever shift(P)	•		
	Driver's /Co-driver's side visor with makeup mirror	•		
	Remote control of opening windows	•		
	Leather seats	•		
Interior	Driver seat adjustment	Electric 4 directions and manual 2 directions		
	Co-driver seat adjustment	Manual 4 directions		
	Front seats heating	•		
	Rear seat 4/6 folding	•		
	Front and rear independent headrests	•		
	Trunk(L)	520-1050		

Chassis	Front brake	Ventilated disc			
	Rear brake	Disc			
	Electrical Park Brake	•			
	Tire size	225/45 R18			
	Wheel hub material	Aluminum			
	Tire repair tools+ car tools	•			
	Over-speed alarm	•			
	ABS	•			
	EBD	•			
	ESC	•			
	TCS	•			
	ESS	•			
	AUTO HOLD	•			
Active safety	BA	•.			
	TPMS	•			
	Parking sensor	•			
	360° Panoramic images	•			
	VSP	•			
	Driver/Co-driver seat belt alarm system	•/•			
	Security system	•.			
	Airbags	6			
	Front /rear pretensioner of safety belts	•,			
	ISOFIX	•			
	3 point seatbelt for rear middle seat	•			
Passive safety	Child protection door lock	•			
	Speed sensitive auto-lock door	•			
	Auto unlock after collision + tail door escape switch	•			
	Automatic power off protection after collision(Front collision/Side collision/ Rear collision)	•			
	Remote key	•			
	Passive Entry Passive Start	•			
	CCS	•			
	10.25-inch LCD instrument panel	•			
Function	10.25-inch MP5	•			
Function	Bluetooth hands-free system	•			
	USB port	•			
	CarPlay、Android Auto	•			
	Home charging cable	•			
	Vehicle to Load(V2L)	•			
	Standard Equipment				



安徽江淮汽车集团股份有限公司
Anhui Jianghuai Automobile Group Corp., Ltd.

MOTORS Add:No.176 Dongliu Road,Hefei,China http://www.jacen.jac.com.cn







BETTER DRIVE BETTER LIFE





